MINISTRY OF INSPIRATION



Regional NZAquabots Challenge Rules 2025

Proudly supported by













Structure of NZAquabots

NZAquabots is designed to give students an overall experience in the engineering process. NZAquabots gives students the opportunity to demonstrate what they have learned to professionals in the field, educators, other students, and the general public.

The 2025 NZAquabots Challenge will consist of 3 underwater competitions, quiz, factsheet, a team presentation and technical report (for some regional events, ALL Open and ALL National Teams). The challenges are a test of how well the students design, build, and operate their ROVs. The team presentation is a test of organisational and documentation capabilities which allows the students to showcase their design and demonstrate how well they can convey their engineering ideas.

Competition Challenges & Judging

I. Challenge Award Structure

- 1. NZAquabots Obstacle Course
- 2. Competition
- 3. Competition
- 4. National Surprise Challenge
- 5. Non-scoring Survey Station

II. Presentation Award Structure

- 1. Technical/Engineering Presentations
- 2. Technical Report (Open class at regionals, ALL teams at Nationals)
- 3. Factsheet
- 4. Quiz



III. Classes and Divisions

Due to the popularity of NZAquabots we have a second optional class. Those teams who wish to use non-standard motors, more than 3 motors or a camera with an on deck monitor are in OPEN CLASS. These teams will follow entry qualification for the MATE competition NOT Seaperch.

Class		Age			
	Primary	Intermediate	High School		
	For teams with	For teams with any	For teams with any		
	students who are	members who are	members who are in		
	only year 1 – 6	year 7 or 8	year 9 - 13		
Standard Class 1	Standard Class 1 is for teams using the standard NZAB kit. Students may redesign their ROV but MUST use the NZAB kit motors and controller. Teams in this category are eligible to go on to Nationals and Sea Perch Internationals with competent teams offered to attend MATE.				
Standard Class 2	Standard Class 2 is for teams who have structurally changed their ROV -they are not using PVC pipe. They are using alternative materials. MUST use the NZAB kit motors and controller. It is most common for teams who are in their second or third year BUT not exclusively. Teams in this category are eligible to go on to Nationals and Sea Perch Internationals with competent teams offered to attend MATE				
Open Class	Open Class is for teams who are using NZAB 2.0 robot OR the standard NZAB kit BUT must have a camera with an on deck monitor. Teams in this category are eligible to go on to Nationals and MATE Internationals.				

Panels of external judges from industry, government agencies, and all education sectors including tertiary level will evaluate each challenge.

General Rules

1. The Tether:

Throughout the competition, the ROVs must move only under their own power. Specifically, team members cannot pull on the tether or they will be disqualified.

2. Modifications to the ROV:

ROVs shall consist of the parts and components contained within the equivalent of one NZAquabot kit, with the following exceptions:

Teams have a budget of \$25.00 NZD to modify the ROV. Students are encouraged to
 'think outside the box' with modification. Donated material should be assessed at what
 the cost would be to procure the material. The \$25 NZD limit is for costs of the materials
 utilized on the final competition ROV. Reasonable spare parts are not included in this
 budget. 3D printing should be represented at \$0.05 per gram



- Hooks and attachments may be added/removed depending on the competition round.
- Teams may only utilize stock NZAquabot motors in thrusters (Jameco P/N 232022). These are different from the NZAquaBot 2.0 robots.
- Teams may not add additional thrusters to the ROV. A thruster is defined as a means of propulsion, normally but not limited to a motor and propeller assembly. Teams will design for and utilize a 12-volt power source. Over charging or stacking batteries is not allowed. Team supplied batteries must not be larger than 16.5 cm long x 7.6 cm wide x 10.2 cm high and must be 12 VDC maximum with a 9-amp hour maximum rating
- Fit within a box with the dimensions of 30 x 45 x 45 cm.
- No cameras to be fitted
- 3D printed parts will be costed out at \$0.05 per gram

3. Modifications to the OPEN ROV

OPEN ROVs shall consist of the parts and components contained with the equivalent of the TriggerFish electronics kit or NZAquaBot Kit with the following exceptions:

- Maximum size of the ROV 60cm x 60cm x 60cm
- Maximum weight of the ROV (including motors and camera) is 15kg
- ROV materials can consist of anything
- Teams will design for and utilize a 12-volt power source. Over charging or stacking batteries is not allowed. Team supplied batteries must not be larger than 16.5 cm long x 7.6 cm wide x 10.2 cm high and must be 12 VDC maximum with a 9-amp hour maximum rating
- Controller must have an appropriate fuse
- Teams have a budget of \$100 NZD to create the ROV (excluding motors, controller etc)
- Pneumatics and hydraulics are permitted provided that the team follows the specifications included within the competition manual.
- Camera is required with a land based monitor included
- 3D printed parts will be costed out at \$0.05 per gram

4. Competition Day

- Only 3 team members are allowed on the pool deck during competition (blue zone).
- No parents, whanau, coaches are allowed on the pool deck during competition (blue zone).
- Nothing other than the ROV should be put into the pool.
- Each ROV will be inspected and qualified by a judge prior to competition.
- In the event that a ROV is inadvertently interfered with during a trial or a malfunction of a ROV'sparts (i.e. the motor) that is beyond the design and construction put together by the team, the panel of judges will have the authority to allow the team time to fix their ROV and allow them to compete later in the round. These malfunctions will be evaluated on a case-by-case basis.

5. Safety

Once teams enter the cordoned off competition area to trim, adjust, practice or compete, team members must not receive outside assistance, materials or communication. Teams violating this rule will be ranked below all other teams.



Safety regulations must be followed at all times. Absolutely no competitor is allowed to go into the competition pool during NZAquabots Competitions. Should an NZAquabots competitor or any person connected with an NZAquabots team (spectator, coach, parent, etc.) go into the pool, that team's *school/organisation* will be disqualified from the competition.

6. Appeals, Challenges and Disputes

Gracious Professionalism is expected at all times. Should a protest or dispute occur during the competition it is the intent to resolve the grievance at the time it occurs, and the ruling by the Head Judge shall be final.

A team that wishes to have an issue considered shall send the student team captain and one additional student member (2) to the lead judge with the inquiry or question. The lead judge will make the decision on the issue, and this decision is final. The same issue may not be brought to the judge a second time by any member of the team.

Adults may not approach the lead judge on the pool deck regarding any perceived issues. Teams may not question the legality of other competing ROVs; it is the Head Judge's role to determine if robots meet the entry and compliance requirements.

Unsportsmanlike conduct is grounds for the disqualification of a team. Team members and advisors are responsible for the conduct of all members and adults accompanying the team.

7. Materials available for Open Class

Teams may compete in the Open class using the TriggerFish MATE package or equivalent. Teams who are competing in Open class using the NZAquabots controller and motor can make use of any materials for their ROV body. They must not use any different motors or more motors. If you are unsure about your design please check with the co-ordinator BEFORE the competition date. Open class requires the use of a camera with on-deck monitor.

Vehicle Performance

- 1. Elapsed time for each run starts when the student holding the ROV releases and holds his/her hands up in the air, easily visible to the timing official. Timing stops when the ROV touches the pool wall finish line.
- 2. A team member may "manage" the amount of tether cable in the water, feeding and retracting length as desired, but the tether cable must be slack at all times; the team member may not use the tether cable to assist the ROV's movement in any way.
- 3. Provision for False Start: If a team has a "false start" defined as the ROV has left the wall before the start signal, 20 seconds will be added to that team's timed score.
- 4. In the unlikely event of a collision with another ROV, a team may elect a re-run. The five-minute period does not apply to such a run.



Existing robots

Schools already owning an ROV from previous years may compete using their old ROV as long as some form of structural modification is made, for example: shape change, material change, hydraulic system, etc. This should be noted in their presentation.

REMEMBER! At least 2/3 of your team MUST drive your ROV. No one team member will be designated as the sole driver!

Points Awarded:

- Each competition section is scaled to be out of 100 points (except obstacle course which is timed). In the event of a tie in points, the team that took the shortest time to <u>complete</u> a task are awarded an additional 10 points *prior to scaling*.
- Each competition is then ranked.
- Rankings are added together across all events.
- 1st-3rd placings are awarded ribbons in Standard Class 1, Standard Class 2 for each AGE bracket: primary, intermediate, secondary.
- 1st-3rd placings are awarded ribbons across ALL Open Class regardless of age bracket.
- Regional trophy is awarded to the OVERALL winner in each age bracket, regardless of class.
- 1st-3rd Place winners in Standard Class 1 and 2 and Open Class are invited to nationals (Regions may not send more than 9 teams to Nationals)
- Overall 1st place team at Nationals, regardless of class, from High School and Intermediate will be invited to Sea Perch Internationals OR MATE Internationals. If one of these teams does not choose to go, the spot will open up in this order: 1st place primary, 2nd place high school, 2nd place intermediate.
- The number of teams invited to Sea Perch International/MATE International is determined by Sea Perch/MATE and that number is not known until late November of each year.
- 1st Place team in Open class (regardless of age) is invited to compete at MATE internationals.

Nationals traditionally has a 'surprise' event that will be shown at the Saturday practice. Teams are not permitted to practice the surprise event but can fully examine it. Regional events may slightly differ in competition specifications to best reflect their tamariki.




Task 1: Obstacle Course

Description: Teams drive their ROV through an underwater obstacle course as quickly as possible. The course is **roughly** designed as shown.

Maximum team members on course: 3

Maximum time allotted per course: 10 minutes.



Vehicle Performance


- 1. Teams may make as many official runs with their ROV with the shortest time recorded within a maximum time of 10 minutes.
- 2. Start of run: The ROV must be surfaced, within 15 cm of the wall, and under its own power. Team members are not allowed to touch the ROV after the lane judge begins the countdown to start the run.
- 3. The ROV is required to pass through each of the five obstacle course hoops in order starting at the hoop closest to the pool wall.
- 4. The ROV must surface after clearing the hoop furthest from the pool wall. Surfacing is considered complete when any part of the ROV breaks the surface of the water.
- 5. The ROV must re-submerge and head back to the pool wall by passing through each of the five hoops in reverse order.
- 6. End of run: The run is complete when the ROV touches the pool wall *while surfaced* (any part of the ROV breaks the surface of the water). The run will be aborted if the allotted time expires even if the ROV has not completed the course
- 7. The gates will be approximately 2 metres apart and will be approximately 60 cm in diameter.



Task 2: Investigate the Goat Island Marine Reserve (All images from MATE RANGER Competition 2025)

Goat Island Marine Sanctuary is New Zealand's first marine reserve. Created in 1975 over 100 different types of wildlife now live in, on and around the water. These tasks are based around exploring and monitoring the Goat Island Marine Reserve. Tasks can be completed in any order. Teams may opt not to complete all tasks.


1. Drive your ROV down to an unknown coral reef and circumnavigate it. Open the nearby box and retrieve the mission notes. On land, match the coral reef to identify the type of coral and the age of it.



2. Remove the damaged buoy and install a new one. To ensure continued monitoring of the coral reef.



- 3. Install a sensor into the moveable buoy. Then place the sensor and buoy into the designated area shown by the square. This will allow for more specific monitoring of the coral reef and the sea creatures living near it.
- 4. Retrieve all the eDNA samples and on land identity the invasive species







Maximum team members on course: 3

Maximum time allotted per course: 10 minutes.

Vehicle Performance

Teams will make **one** official run with their ROV with the shortest time recorded **within a maximum time of 10 minutes.**

Circumnavigate means the team has driven the ROV completely around the coral **Lift** means that the lid has moved at least 10cm above the container or is no longer on the container

Retrieve means that the item has been brought back to the side of the pool.

Match coral and identify age requires teams to point to the correct pattern/information on the panel at the side of the pool

Remove means that the buoy is no longer in contact with BOTH ends

Install means that the buoy is in contact with both ends or that the sensor is fully inside the tube

Place means that the buoy is completely inside the 50cm square

Identify means that the eDNA is matched to the correct labels on the panel at the side of the pool.

Teams can reach into the pool up to their elbow to take the object from their robot. Multiple objects can be retrieved at the same time.

The sensor and replacement buoy will be on the side of the pool at the beginning of the run




Task 3: Goat Island Marine Reserve Monitoring (All images from MATE RANGER Competition 2025)


In order to track what occurs in Goat Island Marine Reserve scientists need to monitor the temperature, livestock and other things like sea currents etc.

Your job is to:

 Collect the power connector, remove the connection cap (and bring back to the side of the pool - Nationals and OPEN class only) and connect the power connector to the sensor array



2. Replace a broken sensor on the array. Remove the broken sensor deliver and install a new one






3. Apply an epoxy patch to the corroded leg of the sensor array. Rust is shown with the orange spray paint.





4. Collect the different stages of jellyfish. Baby jellyfish are pipe cleaners attached to the platform. Teenage jellyfish are the water wrigglers shown in the second image and float in the pool. The Medusa Jellyfish is in a holding cell and will need to be release by pulling the lever shown in orange.







- 5. Remove the fish (ping pong balls) from underneath the sensor array
- 6. Place a hydrophone in the designated space. The Hydrophone will start on the side of the pool with the team.





Maximum team members on course: 3

Maximum time allotted per course: 10 minutes.

Vehicle Performance

Teams will make **one** official run with their ROV with the shortest time recorded **within a maximum time of 10 minutes.**

- Remove means that the object is no longer in place
- **Retrieve** means to bring the object to the surface for collection at the side of the pool
- **Connect** means that the power connector is completely in the hole
- Apply the epoxy patch means that the orange "rust" is completely covered and both ends of the patch are attached to the pole
- Place means that the hydrophone is completely in the designed area
- Install means that the sensor array is completely in the hole provided
- **Delivered** means that the sensor array is on the surface of the installation

Teams can reach into the pool up to their elbow to take the object from their robot. Multiple objects can be retrieved at the same time



Task 4: Quiz

Information on Goat Island Marine Reserve can be found at the websites below. Quiz questions will be taken from these resources.

https://20693798.fs1.hubspotusercontent-na1.net/hubfs/20693798/2025_MATE_ROV_Competition_Briefing_FINAL_3.pdf

https://www.nzgeo.com/stories/goat-island-revisited/

https://www.seafriends.org.nz/issues/res/gi/index.htm

https://www.leighbythesea.co.nz/things-to-do-in-leigh/watching-wildlife/

https://www.goatislandmarinereserve.co.nz/history-of-goat-island

https://www.doc.govt.nz/get-involved/conservation-education/resources/protecting-our-mar ine-world/

Description: During the course of the competition you will also be given a quiz. The quiz will be 10 questions long, a mixture of true/false, multiple choice, and short answer. These questions will come from the websites and information noted above.

Maximum time allotted for questions: 10 minutes

Quiz Notes:

- 1. The quiz may not be taken away from the station
- 2. No whanau, coaches or teachers can be at the quiz station
- 3. No outside resources can be used including notes, internet, cellphones, apps etc.

Task 5: Survey Station

Each member of your team will fill out a survey about their experience with the NZAB programme.

This can be done digitally or in paper form.



Task 6: Presentations

All teams must make a **10** minute presentation about their NZAquabot experience. It is recommended that you speak for 6-7 minutes and leave 3-4 minutes for questions.

All team members present in the room **must participate** in giving the presentation. The advisor/coach may be in the room if they choose, but he/she may not participate in the presentation or interact with the team members.

Teams are advised to arrive at their designated presentation room 10-minutes prior to their scheduled start time. Teams who are more than 5-minutes late will not be allowed to present.

Poster/Digital Presentation

During the presentation, teams may use either a scientific poster (standard 'science fair' tri boards no larger than 90 x 145 cm) *or* a Digital Presentation to demonstrate their work to the judges. The poster or digital presentation should contain the following information:

- Title—Name of the NZAquabot Project or Team
- Team—tell the judges about the team. Include team members, teacher/coach, and volunteers.
- Building Process and Challenges—Describe the process the team went through designing and building the ROV including any challenges/lessons learned the team faced during the design, construction, design priorities, and testing phases.
- Research completed on design and/or scientific principles-buoyancy, refraction, propulsion, etc.
- Modifications—describe and justify any modifications
- Trials—describe the trials performed and how the ROV was adjusted after the trials.
- Cost Documentation—Receipts or other proof of additional costs incurred in building the ROV. This should include the itemized cost of additional items purchased or equivalent value in a simple table. Receipts should be kept in an envelope and clearly marked with team name, item and cost. NB: These will only be referenced if your ROV appears close to the \$25 limit.

Regardless of the presentation method chosen, the team should be prepared to answer the judges' questions after the presentation is completed.

Questions and Answer time is included in the 10 minute presentation.



Task 7: Factsheet

Teams will prepare and submit a ONE page A4 sheet which summarises their team, experience and their robot.

It MUST include:

- Team name and school/organisation
- An image of their robot
- A 100 word overview of their design
- Number of years participating in NZAquabots
- 50 words for "Our ROV is unique because..."
- 50 words for "Our biggest learning this year is...."
- An image of their team
- Names and year levels of team members
- Names of mentors/coaches and their organisations/relationship to students

Read through the marking schedule to see where marks are allocated

Teams may submit their Factsheet in te reo.

Factsheets MUST be submitted 1 week prior to the competitions



Task 8: Technical Report

Learning to write a technical report is a key skill in the engineering and science world. The technical report we are expecting will follow the outline below. Refer back to your engineering journal to help you complete it.

The **Technical Design Report** consists of seven mandatory sections and two mandatory appendices. Additional sections may be included; however, **all reports must be limited to 5 pages** (excluding References, Acknowledgements, and Appendices). Sections and appendices must appear in the order listed below. **Reports must be written in English, typed, and submitted in PDF format 1 week prior to the event date.**

Please refer to the Scoring Rubric for more information about how each section of the Technical Design Report will be scored.

Technical Design Report

Section 1. **Abstract (1/2 page).** A well-written abstract should concisely explain the key points or essence of your paper and quickly explain to the reader what the paper is about.

Section 2. Task Overview (1/2 page). This section should include an overview of the task(s) your robot will attempt and should discuss the characteristics and features of the tasks that affected the final design. Avoid directly quoting course descriptions or problem statements for real-world applications and instead use your own words to describe what your robot will/would do within the application.

Section 3. Design Approach (2 pages). Given the tasks described in the previous section, describe your team's strategy and approach to developing a novel robot design. Novelty may occur at various levels of the design and build process including specific components, collections of components, or even team approaches to the process. Focus attention on the creative aspects of your system and how your team conceived of, refined, and implemented these ideas. Describe your experience in making design decisions and how prospective ideas were considered among the team. Include engineering and scientific terms and concepts to demonstrate the team's understanding of the challenges of constructing and operating a robot.

Section 4. Experimental Results (1 page). This section should describe various tests accomplished in-practice and/or in simulation. What were your results? How did these tests impact your team's subsequent design(s)? Include images, charts, and figures to demonstrate your results.

Section 5. Reflection & Next Steps (1 page). Reflect on this years' experience. What did you learn? Were there aspects of the project that you particularly enjoyed or that challenged you? How do you think that your new knowledge or experience will assist you in future endeavours? Include a discussion of next steps for the team and/or the team's robot.



Section 6. Acknowledgements (no page limit) Participating in the competition involves identifying resources and support beyond the efforts of individual team members. This support can take many forms, such as technical advice, labour, equipment, facilities, and monetary contributions. Acknowledging those who have supported your efforts is important.

Section 7. References (no page limit). As with any technical publication, original ideas and content not generated by the paper's authors should be properly cited. While there are many citation styles, the American Psychological Association (APA) style guide should be used. Use in-text citations, where appropriate.

Technical Reports MUST be submitted 1 week prior to the competition



Task 1: Obstacle Course

Organisation Name:	Gates Cleared (outbound)		
	,	1	
		2	
Team Name:		3	
		4	
		5	
Diver Assist? (add 2min)			
	ROV Surfaced		
	Gates Cleared		
	(inbound)		
		1	
		2	
ALL GATES CLEARED?		3	
		4	
		5	
Scored Time (in hundredths of seconds)			
	ROV Touched Wall		



Task 2: Investigate Goat Island Marine Reserve

TEAM Name:	
SCHOOL Name:	
Driver Name:	Time completed:

TASK	POINTS POSSIBLE	POINTS AWARDED
Circumnavigate the coral reef	5 pts	/5
Lift the Box Lid	10 pts	/10
Retrieve the mission notes	15 pts	/15
Identify the correct coral type and age	5 pts each	/5
Removed the damaged buoy	20 pts	/20
Retrieve the damaged buoy	20 pts	/20
Install the new buoy	50 pts	/50
Install new sensor	50 pts	/50
Connect the sensor to the buoy	50 pts	/50
Place buoy in the designated area	15 pts	/15
Retrieve eDNA	10 pts each x10	/100
Identify eDNA correctly	5 pts each x 10	/50
Diver Assist	- 20 pts	
	Total Points	/390



Maximum team members on course: 3

Maximum time allotted per course: 10 minutes.

Vehicle Performance

Teams will make **one** official run with their ROV with the shortest time recorded **within a maximum time of 10 minutes.**

Circumnavigate means the team has driven the ROV completely around the coral **Lift** means that the lid has moved at least 10cm above the container or is no longer on the container

Retrieve means that the item has been brought back to the side of the pool.

Match coral and identify age requires teams to point to the correct pattern/information on the panel at the side of the pool

Remove means that the buoy is no longer in contact with BOTH ends

Install means that the buoy is in contact with both ends or that the sensor is fully inside the tube

Place means that the buoy is completely inside the 50cm square

Identify means that the eDNA is matched to the correct labels on the panel at the side of the pool.

Teams can reach into the pool up to their elbow to take the object from their robot. Multiple objects can be retrieved at the same time.



Task 3. Goat Island Marine Reserve Monitoring

TEAM Name:	SCHOOL Name:	

Driver Name: Time completed:	
Driver Name: I ime completed:	

TASK	POINTS POSSIBLE	POINTS AWARDED
Collect the power connector	10pts	/10
Remove the connection cap	30pts	/30
Retrieve the connection cap	10pts	/10
Connect the power connector	30pts	/30
Remove the broken sensor array	30pts	/30
Retrieve the broken sensor array	10pts	/10
Deliver new sensor array	10pts	/10
Install new sensor array	100pts	/100
Apply an epoxy patch	20pts each x2	/40
Remove baby jellyfish Retrieve baby jellyfish	5pts each x 5 5pts each x5	/25 /25
Retrieve teenage jellyfish	10 pts each x 3	/30
Release medusa jellyfish	20pts	/20
Retrieve medusa jellyfish	50pts	/50
Remove fish from under sensor array	5pts each x6	/30
Place the hydrophone in the designated area	30pts	/30
Diver Assist	- 20 pts	
	Total Points	/480



Maximum team members on course: 3

Maximum time allotted per course: 10 minutes.

Vehicle Performance

Teams will make **one** official run with their ROV with the shortest time recorded **within a maximum time of 10 minutes.**

- Remove means that the object is no longer in place
- Retrieve means to bring the object to the surface for collection at the side of the pool
- Connect means that the power connector is completely in the hole
- Apply the epoxy patch means that the orange "rust" is completely covered and both ends of the patch are attached to the pole
- Place means that the hydrophone is completely in the designed area
- Install means that the sensor array is completely in the hole provided
- **Delivered** means that the sensor array is on the surface of the installation

Teams can reach into the pool up to their elbow to take the object from their robot. Multiple objects can be retrieved at the same time

Task 4. Quiz Total Points (Max 10 points)



Task 5: Presentation

Rubric Points → Design Element ↓	Exceptional 8	Excellent 6	Good 4	Fair 2	Needs Improvement 0
Design and ROV Structure	Nicely decorated. Attention to detail and aesthetically pleasing. Fits over all theme of team/poster.	Nicely decorated/painted.	Is not decorated/painted well.	Is not decorated/painted.	Looks unpleasing.
Poster/digital: Appearance /Organizational Flow	Professional appearance. Exceptional use of colours, text, graphics, and flow is intuitive to observers.	Very pleasing to view, nice colours and graphics. Can follow the processes explained on board.	Pleasant to view. Section headings are clear but lacks clarity of specific flow of details	Cluttered or sloppy appearance. Gives the appearance of solid mass of text. Does not flow logically.	Unreadable or no poster.
Presenting	Professional appearance. Team speaks directly to judges. Each member equally participates. Information is clear	Balanced. Text and graphics are even. Students grasp concepts and demonstrate a solid understanding of project.	Too much text. The poster gives an overwhelming impression of text only.	Team reads from screen, little to no eye contact. Backs to judges.	Students unfamiliar with presentation.
Presentation: Organizational Flow	Professional organization and flow of the presentation are well timed, easy to follow, and highly engaging for the listeners.	Professional organization and flow of the presentation are well timed, easy to follow, and usually engaging for the listeners.	Competent. Organization and flow of the presentation are mostly smooth and orderly.	Novice. Organization and flow of the presentation seem planned but are choppy.	Disjointed. There is little to no organization or flow to the presentation.
Presentation: Team Work	Professional Team is cohesive throughout entire presentation. All team members speak.	Highly proficient. Team is cohesive throughout the majority of the presentation. Most team members speak.	Competent. Team is cohesive at times during the presentation. Small number of team speaks.	Novice. Team struggles with cohesiveness but is aware of the need to work together during the presentation.	Team is not cohesive during presentation. Only one member speaks.
Design Engineering concepts and explanation	Expert. Students completely understand the engineering, mathematical, and physical concepts behind their design and clearly explain them to the judges.	Highly Proficient. Students understand the engineering, mathematical, and physical concepts behind their design and clearly explain them to the judges.	Competent. Students understand 1 or 2 of the engineering, mathematical, and physics concepts and can roughly explain them.	Novice. Students can name some of the engineering, mathematical, and physics concepts but cannot explain them well.	No presentation
Question and Answer	Expert. Students handle questions easily, demonstrating their knowledge of concepts. Students also inquire with thoughtful questions to the judges.	Highly Proficient. Students handle questions well, demonstrating their knowledge of the concepts. Students also inquire with thoughtful questions to the judges.	Competent. Students handle questions with some difficulty, demonstrating a partial understanding.	Novice. Students were not able to handle or answer judge's questions.	No presentation



Task 6: Factsheet

Rubric Points →	Exceptional 8	Excellent 6	Good 4	Fair 2	Needs
Design Element	Exceptional	LACCIICITE 0	00004	1411 2	
Design Element					Improvement
+					0
Factsheet	All requirements	Delivered on time,		Not delivered on	More than 2
Format:	are meet	1 – 2 requirements		time, but all	requirements
A4 Page		missing		requirements are	missing or not
All 9 items are				met	delivered at all
present					
Delivered on					
time					
Poster/digital:	Professional	Very pleasing to	Pleasant to view.	Cluttered or sloppy	Unreadable or no
Appearance	appearance.	view, nice colours	Section headings	appearance. Gives	poster.
/Organizational	Exceptional use of	and graphics. Can	are clear but lacks	the appearance of	
Flow	colours, text, graphics, and flow	follow the processes explained	clarity of specific flow of details	solid mass of text. Does not flow	
	is intuitive to	on board.	now or details	logically.	
	observers.	on bourd.		logically.	
Spelling and		No	Minimal spelling or		Significant spelling
Grammar		spelling/grammatic	grammatical errors		or grammatical
Gramma		al errors	(1-5)		errors (5+)
Overview of	Robust discussion &	Good discussion	Some detailed	Basic discussion of	No discussion of
design (100	analysis of design	and analysis of	discussion of design	design iterations.	design iterations.
words)	iterations. Could	design iterations.	iterations. Could	Could include the	Or went over the
	include the process taken to create the	Could include the	include the process taken to create the	process taken to	word requirement
	design, including	process taken to create the design,	design, including	create the design, including testing	
	testing and the	including testing	testing and the	and the design	
	design process	and the design	design process	process	
		process	1 22.6. 1. 22.2	P	
Our robot is	Strong discussion &	Good discussion of	Some detailed	Basic discussion of	No discussion of
unique because	analysis of vehicle	design novelty.	discussion of design	design novelty.	design novelty. Or
(50 words)	design novelty.	Could include	novelty. Could	Could include	went over meet the
(30 00003)	Could include	reference to	include reference to	reference to	word requirement
	reference to	attachment,	attachment,	attachment,	
	attachment,	structure or	structure or	structure or	
	structure or	materials used	materials used	materials used	
<u> </u>	materials used	Cood moderation of	Compa date: 11	Dania wafia -+:	No wellootier en ti
Biggest learning	Thoughtful design process reflection &	Good reflection and	Some detailed reflection on the	Basic reflection on	No reflection on the
this year is (50	analysis. Could	basic design process analysis.	design process.	the design process. Could cover	design process. Or went over the word
words)	cover teamwork,	Could cover	Could cover	teamwork, personal	requirement
	personal	teamwork, personal	teamwork, personal	realisations, soft	reguirement
	realisations, soft	realisations, soft	realisations, soft	skills, technical	
	skills, technical	skills, technical	skills, technical	skills, or strategic	
	skills, or strategic	skills, or strategic	skills, or strategic	thinking	
	thinking	thinking	thinking		

The 9 items are: Team name and school/organisation, An image of robot, 100 word overview of design, Number of years participating, "Our ROV is unique because…", "Our biggest learning this year is….", image of their team, Names and year levels of team members, Names of mentors/coaches and their organisations/relationship to students



Task 7: Technical Report-Nationals and OPEN TEAMs ONLY

Rubric Points →	Exceptional 8	Excellent 6	Good 4	Fair 2	Needs Improvement 0
Design Element ↓	•				
Paper Format Page Size A4 Single Spaced Margins >0.8 Footer with team name and	Meets all formatting guidelines		Meets most of the formatting guidelines		Does not meet all the formatting guidelines
page # on all pages Font size between 10 and 12pt Font types can include: Calibri, Times New Roman, Arial or similar					
Abstract: Limited to ½ page			Within page limit		Exceeds page limit.
Abstract Report summarization			Includes a clear overview of the report.		Does not summarize main points of the report.
Unique Vehicle Design and/or Design Process	Robust discussions of unique design and process	Detailed discussion or unique design or process	Overview of design and/or process with some focus on unique traits		No discussion of ROV design or process
Task overview: limited to ½ page			Within page limit		Exceeds page limit.
Overview of the competition tasks	Detailed discussion of all tasks	Good overview of all tasks	Good overview of at least 2 tasks	Good overview of one of the tasks	No overview of competition tasks.
Design Approach Justification	Robust, detailed discussion of design justification		Basic discussion of how tasks impacted design.		No discussion of task influence on design.
Design Approach: Limited to 2 pages			Within page limit		Exceeds page limit.
Teams approach to engineering design process (EDP)	Robust discussion of team's strategy to EDP.	Good discussion of team's approach to EDP.		Little discussion of team approach to EDP.	No overview of team approach to EDP.
Design iterations	Robust discussion & analysis of design iterations.	Good discussion and analysis of design iterations.		Basic discussion of design iterations.	No discussion of design iterations.



Conceptual drawings and/or	High-quality graphics with	Good graphic(s) with context		Includes graphic(s)	No drawings or
graphics	labels that enhance text	within report.		within report.	graphics.
Final design	Robust discussion of final design features/decisions.	Good discussion of final design features/decisions		Basic discussion of final design features	No discussion of final design
Novelty of vehicle design or approach	Strong discussion & analysis of vehicle design & approach novelty.	Good discussion of design or approach novelty.		Basic discussion of design or approach novelty	No discussion of design or approach novelty.
Scientific and engineering terms	Includes 5+ terms embedded in text & enhancing the section.	Includes 5+ terms; not fully embedded or lacking context	Includes 2-4 engineering terms.	Includes 1-2 engineering terms.	Includes no engineering terms
Experimental Results: Limited to 1 page			Within page limit		Exceeds page limit.
In the field and/or simulated testing overview	Exceptional analysis of testing models utilized.	Good discussion & analysis of testing conducted.	Basic overview & discussion of testing conducted.	Testing mentioned	No discussion of testing.
Impact of testing on subsequent designs	Robust analysis of testing impact on multiple design iterations.	Good discussion & analysis of testing impact on multiple design iterations	Basic discussion of how testing impacted multiple designs.	Basic discussion of how testing impacted one design.	No discussion of testing impact on design.
Test Results	Robust test results analysis supported by graphs & charts.	Good test results analysis supported by graphs and/or charts	Basic discussion of test results.	Test results shown	No test results included.
Reflection: limited to 1 page			Within page limit		Exceeds page limit.
Reflection on the design process	Thoughtful design process reflection & analysis.	Good reflection and basic design process analysis.	Basic reflection on the design process.		No reflection on the design process
Next steps	Robust overview of future plans for vehicle and team.	Good overview of future plans for vehicle and/or team.	Basic discussion of next steps for vehicle/team		No discussion of next steps.
Acknowledgement of Support			Supporters recognized.		Support not included in report.
References follow APA format			Follows APA format.		Does not follow APA format.
Includes references to support report		4+ references that are cited in the report text.	1-3 references that are cited in the report text.		No references or citations.
Includes Budget			Submitted in approved format.		Section not included
Writing skills: Organisation		Good organization of discussion within each section.	Minimal organization with section headers.		Organization severely impacts ability to follow the report.



Writing skills: Readability	Concise and cohesive report	Report is well written and easy	Report is inconsistent
	that is easy to understand.	to follow.	and difficult to follow.
Writing skills: Spelling and	No spelling/grammatical	Minimal spelling or	Significant spelling or
Grammar	errors	grammatical errors (1-5)	grammatical errors (5+)



Compliance Checklist ROV

Team Name:	
School:	
Construction	
No loose parts that will potentially fall off during competition or handling.	⊕Pass ⊕Fail
Ballast attachment is secure	⊕Pass ⊕Fail
Propeller is properly and securely fastened to motor shaft	⊕Pass ⊕Fail
Safety	
No Exposed wires on controller	⊕Pass ⊕Fail
No Exposed live wires on ROV or Tether	⊕Pass ⊕Fail
No sharp edges	⊕Pass ⊕Fail
Alligator Clip covers (supplied with the kit) are installed on electrical contacts as appropriate	©Pass ⊗Fail
Operations	
Team demonstrates forward and reverse operation of each propeller to ensure they are in proper working order	©Pass ⊗Fail
Design Compliance	
No more than 3 propellers are installed	⊕Pass ⊕Fail
All motors are standard issue and have not been upgraded	⊕Pass ⊕Fail
If design modifications appear to approach the \$20 allowable limit, team identifies that they have valid receipts to support the design modifications.	⊕Pass ⊖Fail
ROV fits inside the dimensions of 30x45x45 cm, including collection arm.	©Pass @Fail



Compliance Checklist OPEN Class

Team Name:	
School:	
Construction	
No loose parts that will potentially fall off during competition or handling.	[⊕] Pass ⊖Fail
Ballast attachment is secure	
Propeller is properly and securely fastened to motor shaft	⊕Pass ⊕Fail
Safety	
No Exposed wires on controller	⊕Pass ⊕Fail
No Exposed live wires on ROV or Tether	⊕Pass ⊕Fail
No sharp edges	©Pass ⊗Fail
Alligator Clip covers (supplied with the kit) are installed on electrical contacts as appropriate	⊕Pass ⊕Fail
Point to fuse and state the size used	
Team have a 12 volt power source only	©Pass ⊗Fail
Operations	
Team demonstrates forward and reverse operation of each propeller to ensure they are in proper working order	⊕Pass ⊕Fail
Design Compliance	
ROV fits inside the dimensions of 60x60x60 cm, including collection arm.	⊕Pass ⊕Fail
ROV weight including motors and camera is no more than 15kg	©Pass ⊗Fail
Team has a camera	⊕Pass ⊜Fail
If design modifications appear to approach the \$100 allowable limit, team identifies that they have valid receipts to support the design modifications.	©Pass ⊗Fail
Pneumatics and hydraulics meet the requirements detailed	

